INTERIOR MATS LOGO MATS MESSAGE MATS ANTI-FATIGUE MATS SLIP RESISTANT MATS

ENTRANCE MATS AND TILES

COMMERCIAL MATTING CATALOG



NS46

te de de s Est Unite

新辞义

Car States



M+A Matting. Uncompromisingly Good!

In the mat industry, M+A Matting mats are where design and function come together, where quality isn't compromised to meet a price point, and where solutions to your maintenance and décor problems come first. We promise our customers an unconditional, 100% satisfaction guarantee for as long as you own our product.

The M+A Matting Company is committed to reducing our environmental impact. We are continually improving our environmental performance as an integral and fundamental part of our business strategy and operating methods. We have reduced waste going to landfills by 80% and recycle most paper, metal, cardboard, plastic, carpet and rubber waste we generate. Our commitment is also evident in our development of over 50 mat styles that contain recycled raw materials including the WaterHog Eco line of mats that contain 100% post-consumer recycled PET fiber reclaimed from plastic bottles.

For over five decades M+A Matting has been America's leader in innovative floor protection systems, industrial safety, anti-fatigue products and high performance entrance matting. So if you are looking for better ways to minimize maintenance, prolong floor surface life, reduce cleaning costs, improve safety or increase worker comfort ask for M+A Matting mats—your environmentally friendly choice.



	M+A Matting Product Feature Guide Mat Selector Guide				
10	Preventative Maintenance, Safety and Ergonomics, The Right Mat for Every Job, Water				
E 10	PRODUCT NAME	PRODUCT #	MAT TYPE	PLACEMENT	PA
ANCE MAT	WATERHOG® LOW PROFILE & LOW PROFILE MODULAR TILE	251, 252			
TILE	WATERHOG® ECO GRAND ELITE				
ECTION	WATERHOG® ECO GRAND PREMIER WATERHOG® GRAND CLASSIC				
	WATERHOG® GRAND CLASSIC WATERHOG® ECO ELITE and ECO ELITE FASHION				
	WATERHOG® ECO PREMIER and ECO PREMIER FASHION				
	LEGACY ECO and LEGACY ECO FASHION				
	WATERHOG® CLASSIC, FASHION and DRAINABLE			Indoor/Outdoor	
	WATERHOG [®] CLASSIC DIAMOND and FASHION DIAMOND				
	LEGACY CLASSIC and LEGACY FASHION				
	WATERHOG® ECO ELITE ROLL GOODS BERBER ROLL GOODS	,	and the second sec		
	WATERHOG® CLASSIC TILE				
	WATERHOG® ECO PREMIER TILE				
	WATERHOG® MODULAR TILE SQUARE				
	WATERHOG® LIFT TRUCK	253			
	SUPERSCRAPE [™]				
	SUPERSCRAPE [™] PLUS	5558, 5559	Scraper	Indoor/Outdoor	
	MELT STEP [™]	886, 887, 889	Slip resistant		
	WATERHOG® DIAMONDCORD WATERHOG® MASTERPIECE SELECT		Scraper/Wiper	Indoor	
	WATERHOG [™] MASTERPIECE SELECT BRUSH HOG [™] , BRUSH HOG [™] PLUS				
E 30	FLEX-TIP [™]				
LJU	FRONTIER				
	SURE STRIDE®, CUTTING BOARD, CUTTING KNIFE	4450, 4459, 4460	Slip resistant		
IOR MAT	SURE STRIDE® PLUSH				
	CLEANSHIELD® URINAL MAT				
	CLEAN STRIDE®	-, ,	and the second sec		
	ENVIRO PLUS [®] TRI-GRIP [™] and TRI-GRIP [™] XL				
	GREASE HOG [™]				
	FLOOR SAFE TILES, STORAGE CART				
	COLORSTAR® PLUSH				
	IMPRESSIONIST				
E 38	VICTORY				
	COBBLESTONE				
MAT, SIGN	The M+A Matting Company Logo Mat Program WATERHOG IMPRESSIONS HD®				
T & MESSAGE T Collection	WATERHOG IMPRESSIONS HD® WATERHOG® LOGO INLAY				
	WATERHOG® ECO ELITE ROLL GOODS LOGO				
	BERBER ROLL GOODS LOGO				
	LEGACY INLAY and LEGACY FASHION INLAY				
	WATERHOG® SCULPTURES				
	CLASSIC IMPRESSIONS [™] HD CUSTOM SHAPE				
EO	CLASSIC IMPRESSIONS [™] HD LOGO and GRAND IMPRESSIONS HD LOGO CLASSIC IMPRESSIONS [™] LOGO				
E 50	CLASSIC IMPRESSIONS LUGU SUPERSCRAPE IMPRESSIONS™ LOGO				
	The Benefits of Anti-Fatigue Mats				
FATIGUE & RESISTANT	ESD Matting				
COLLECTION	HOG HEAVEN®				
	HOG HEAVEN PRIME [®]	4220, 4221	Anti-fatigue	Indoor	
	HOG HEAVEN PRIME DECOR [™]				
	HOG HEAVEN® MARBLE TOP				
	HOG HEAVEN® PLUSH				
	HOG HEAVEN® FASHION GETFIT STANDUP™ MAT	,			
	HOG HEAVEN III [™] MODULAR TILE/LINKABLE MATS/WORKSTATION MATS COMFORT				
	HOG HEAVEN III™ MODULAR TILE TRAFFIC/DRAINABLE, LINKABLE MATS TRAFFIC/DRAINABLE				
	HOG HEAVEN III [™] MODULAR TILE/LINKABLE MATS/WORKSTATION MATS FASHION				
	HOG HEAVEN III [™] MODULAR TILE/LINKABLE MATS/WORKSTATION MATS POLY				
	HAPPY FEET [®] & HAPPY FEET [®] LINKABLE				
	COMPLETE COMFORT [™] without holes and COMPLETE COMFORT [™] with holes				
	COMFORT FLOW [™] and COMFORT FLOW [™] GRIT COMFORT SCRAPE [™] and COMFORT SCRAPE [™] GRIT				
	COMFORT SCRAPE AND COMFORT SCRAPE GRIT COMFORT FLOW [™] HD MODULAR TILE/LINKABLE MATS/WORKSTATION MATS				
	COMFORT SCRAPE [™] HD MODULAR TILE/LINKABLE MATS/WORKSTATION MATS				
	COMFORT FLOW [™] HD MODULAR TILE/LINKABLE MATS/WORKSTATION MATS with GRIT	4432, 4436, 4445	FlowThrough/Anti-fatigue	Indoor	
	COMFORT SCRAPE [™] HD MODULAR TILE/LINKABLE MATS/WORKSTATION MATS with GRIT	4433, 4437, 4446	Slip resistant/Anti-fatigue	Indoor	
	WET STEP®		FlowThrough/Slip resistant	Indoor/Outdoor	
	CUSHION STATION [™] without holes and CUSHION STATION [™] with holes				
	CUSHION MAX [™] with holes and CUSHION MAX [™] without holes				
	TRACTION TREAD TRACTION TREAD SOFT				
	SURE CUSHION RIBBED, TEXTURE, HEAVY DUTY, YELLOW BORDER				
	SURE CUSHION RIBBED, TEXTURE, HEAVY DUTY, YELLOW BORDER				
	KNEELING COMFOR™				
	SAFETY SCRAPE [™]		Slip resistant	Indoor/Outdoor	
	TRACTION HOG II [™] without holes and TRACTION HOG II [™] with holes	4418, 4419	Slip resistant	Indoor	

TABLE OF CONTENTS

Mat Symbols



Anti-Fatigue

Ergonomic mats and floor tiles reduce fatigue by up to 50%. Anti-fatigue mats help increase blood circulation and reduce pressure on the body's musculoskeletal system. They also reduce foot arch pronation, varicose veins, and pain commonly attributed to standing for long periods of time.



Safety

Matting and tiles with highly visible, colored borders and beveled edges reduce trips and falls.



Chemical Resistant

Many M+A Matting mats are manufactured with Nitrile rubber which is resistant to most commonly used chemicals. Please consult the chemical compatibility chart on page 5 for additional information.



Oily Environment

Nitrile rubber mats withstand degradation from oils and grease. These mats are suitable for use in environments with industrial oils, machine lubricants, greases, food grade oils,etc.



Wet Areas May be used in areas where moisture may be present.





Linkable Floor Tile and Matting Tiles that can be customized to fit large areas and unique shapes.



Modular Tile Modular Tiles for large entrances and floor protection.



ESD Matting that dissipates static electricity from people to protect sensitive equipment and small static generated electric shocks.







Recycled Content Contains recycled content.



Anti-Slip



Non-Conductive



Cart Traffic



Anti-Microbial



Scraper

Scraper mats are heavy-duty mats designed to stop mud and larger particles of dirt from being tracked inside buildings.



Scraper/Wiper mats provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough heavy-duty commercial fabrics. They retain dust in recessed grooves while absorbing moisture in the fabric surface.



Wiper interiors.

2

Matting that is suitable for use in locations of high temperatures and welding slag. The temperature resistant rubber can withstand temperatures up to 1742 degrees

Uniquely designed texturized surfaces prevent slip and fall accidents. Heavy-duty rubber keeps the mats in place and prevents movement on a variety of surfaces.

Matting created for Switchboards and high voltage areas. Prevents workers from being grounded and reduces the potential for injuries caused by electrical shock.

Matting and tiles designed to withstand heavy cart traffic.

Matting permanently treated with an anti-microbial agent that guards against degradation from micro-organisms and minimizes mats being a source of odors.

Wiper mats are designed to stop any remaining dust and moisture. These mats are made with a variety of carpeted surfaces and colors to compliment a wide range of


M+A Matting Product Feature Guide

Product Number(s) ltem Category Interior Mats & Tile Brush Hog Plus – Scraper 385 Х Х Х Frontier – Scraper 437 Х Х Flex-Tip – Scraper 874 Х Х SuperScrape Plus – Scraper Х Х Х 200/280 Х Х Х Waterhog Classic/Fashion - Scraper/Wiper Х 272, 273, 274 Х Х Waterhog Grand Classic – Scraper/Wiper 208/221 Х Х Х Waterhog Classic Diamond/Fashion Diamond – Scraper/Wiper Х Х Х Waterhog Diamondcord - Scraper/Wiper 296 Х Х Х Waterhog Modular Tile Square - Scraper/Wiper 2210 2240/2241 Х Х Х Waterhog Eco Elite/Eco Elite Fashion – Scraper/Wiper Х Waterhog Eco Grand Elite – Scraper/Wiper 2243, 2244, 2246 Х Х Х 2295/2297 Х Х Waterhog Eco Premier/Eco Premier Fashion – Scraper/Wiper 265 Х Х Х Waterhog Masterpiece Select – Scraper/Wiper Х Х Х Colorstar Crunch, Colorstar Crunch XL - Wiper 110, 2110 Cobblestone - Wiper 870 Х Х Х Х Х Х Colorstar Plush– Wiper 180 2202 Х Х Х Enviro Plus – Wiper Х Х Impressionist – Wiper 871 872 Stylist – Wiper Х Х Х Х Trigrip – Wiper 100, 190 Х Х Victory – Wiper 873 Х Х Х Х Х 883 Х Grease Hog – Scraper/Wiper Anti-Fatigue Mats & Tile Comfort Flow, Comfort Scrape 420, 430 Х Х Х Х Х Х Х Х 4200, 4300 Х Х Х Х Х Comfort Flow Grit, Comfort Scrape Grit Х 4430, 4434, 4439 Х Х Х Х Х Х Comfort Flow HD Modular Tile, Linkable and Workstation Mats Х 4432, 4436, 4445 Х Х Х Х Х Х Comfort Flow HD Modular Tile, Linkable and Workstation Mats w/grit Х Comfort Scrape HD Modular Tile, Linkable and Workstation Mats 4431, 4435, 4440 Х Х Х Х Х Х Х 4433, 4437, 4446 Х Comfort Scrape HD Modular Tile, Linkable and Workstation Mats w/grit Х Х Х Х Х Х Х Complete Comfort 494, 496 Х Х Х Х Х Complete Comfort II 594 Х Х Х Х Х Х Х Х Cushion Max 413, 414 Х Х Х Х Х **Cushion Station** 370, 371 Х Х Х Х Х Х GetFit StandUp 4443 χ Х

		Weiting		aticative pri	ustatic pure	rease out	Proof Antin	incrobial ties	strically conductive	control of	mical Net	Heas DYN	1835
Item Category	Product Number(s)												
Anti-Fatigue Mats & Tile (continued)													
Happy Feet	465, 466, 475, 476	х				Х		Х		Х	Х	Х	
Hog Heaven	421, 422, 423, 424	x				Х		Х		X		X	
Hog Heaven Confetti	443, 444	Х	Х									Х	
Hog Heaven Fashion	441, 442			Х								Х	
Hog Heaven Marble Top	448, 449			Х								Х	
Hog Heaven Prime	4220, 4221	x	X			x				X	Х	X	
Hog Heaven III Modular Tile Comfort and Linkable Mats Comfort	4471, 4472, 4497, 4498	х				Х		Х		Х		Х	
Hog Heaven III Modular Tile Comfort and Linkable Mats Comfort w/grit	4473, 4474, 4499, 4505	x				x		Х		X		X	
Hog Heaven III Workstation Comfort and Workstation Comfort w/grit	4493, 4494, 4495, 4496	х				х		Х		X		Х	
Hog Heaven III Modular Tile Fashion/Linkable Mats Fashion	4484, 4485, 4476, 4475			Х								X	
Hog Heaven III Modular Tile, Linkable and Workstation Mats Poly	4482, 4483, 4481,4487			Х								Х	
Hog Heaven III Modular Tile Traffic/Drainable	4477, 4478, 4479, 4480	х	Х			Х				X	Х	Х	
Kneeling Comfort	433, 436	х				х		Х		X		Х	
Sure Cushion Products	415, 425, 427, 428											Х	
Sure Tread	505									X		Х	
Traction Tread Soft	56	х	Х			Х	Х			X	Х	Х	
Slip Resistant Mats													
Melt Step	886, 887, 889	Х				Х	Х			X	Х	Х	
SuperScrape	555, 5555		Х			Х				X	Х	Х	
SuperScrape General Duty	550										Х	Х	
Sure Stride/Sure Stride Plush	4450/4457						Х				Х	Х	
Traction Hog II	4418, 4419	x	Х	Х		Х	Х			X	Х	Х	
Traction Tread	50	x				х		Х		X	Х	Х	
Waterhog Lift Truck	253			Х							Х	Х	
Logo Mats													
Classic Impressions, Classic Impressions HD	70/73		Х									Х	
Classic Impressions HD Custom Shapes	733		Х									Х	
SuperScrape Impressions	3559		Х			Х				X	Х	Х	
SuperScrape Impressions Message Mats	3557		Х			х				X	Х	х	
Waterhog Impressions HD	2380, 2381			Х							Х	Х	
Waterhog Logo Inlay	234, 235			Х							Х	х	
Specialty Mats													
Clean Stride - Scraper/Wiper	410, 411, 412			Х								Х	
Floor Safe	583, 584 (cart)											х	

M+A Matting Product Feature Guide

Mat Selector Guide





Mat G,E K,A	Area Cafeteria/Break
	Cafeteria/Break
K.A	
1.0/1.1	Clean Room
M,L	Dry Assembly
F,Q	Electric Panel
R,H	Entrance
C,G	Eyewash Stations
G,C	Food Prep
I,G	Locker Room
L,M	Mail & Samples
L,P	Maintenance
M,L	Manufacturing
M,L	Molding
S,J	Offices
L,M	Packing Lines
O,N	Paint
L,M	Quality Control
S,B	Reception
L,M	Rework
L,M	Shipping/Receiving
M,L	Stamping
O,N	Testing Labs
L,M	Tool Crib
T,U	Vestibule
L,M	Warehouse
M,L	Welding
C,D	Wet Assembly

Stule 8 Deaduct Number
Style & Product Number
Clean Stride #412
ColorStar #120
Comfort Flow #420
Comfort Flow Modular Tile #4430
Comfort Scrape #430
Corrugated Switchboard #781
Cushion Station #370/371
Flex Tip #874
Frontier #437
Get Fit Stand Up Mat #4442
Happy Feet #465
Hog Heaven #424
Hog Heaven III Modular Tile Comfort #4471
Hog Heaven III Modular Tile Poly #4482
Hog Heaven Marble Top #448
Kneeling Comfort #433
Military Switchboard Diamond #789
SuperScrape Plus #5558
Tri-Grip #100
Waterhog Classic #200
WaterHog Modular Tile Square #2210

The first letter denotes **Best** choice, the second letter is a **Good** secondary option for the corresponding areas of a facility.


These are the most commonly used mats & floor tiles in industrial manufacturing facilities. The letter corresponds with the area chart to the left to help you locate the correct mat for a specific location.

Preventative Maintenance

Mats are the first defense to stop dirt and moisture from entering **vour building.** Mats filter these contaminants from entering the facility. saving thousands of dollars a year in cleaning costs. Mats also protect interior floor surfaces from excessive damage and wear. Entrance mats are the most effective way of stopping dirt and moisture at the door and keeping building maintenance costs to a minimum.

Consider These Facts...

- 70% to 80% of dust, grime and dirt in a building is tracked in from the outside on people's feet-permanently damaging floors
- One square yard of carpet can accumulate one pound of dirt a week-twice that in inclement weather
- It is estimated that the cost to find and remove a single pound of dirt from a building can run in excess of \$600 in cleaning costs. As few as 150 people entering a facility can track in one pound of dirt in a 5 day work week costing over \$30,000 dollars annually to remove.
- By utilizing high performance entrance matting of at least 10' to 15' (as recommend by the U.S. Green Building Council and the Carpet and Rug Institute) you can capture as much as 85% to 95% of contaminants that enter the building, saving maintenance dollars and protecting building assets



Safety and Ergonomics

Mats are used throughout facilities in numerous other capacities where safety is a must and anti-fatigue comfort is essential to the health and well being of employees.

- Slip and falls are the second leading cause of all workplace injuries according to Liberty Mutual Workplace Index. As many as 25,000 people a day are victims of slip and fall accidents(NSC)
- Compensation and medical costs associated with employee slip and fall accidents total approximately \$70 Billion annually(NSC)
- The average cost of a slip and fall injury exceeds \$12,000(Wausau Insurance)
- The average cost to defend a slip and fall lawsuit is \$50,000(NFSI)
- Back injuries account for 25% of all worker compensation claims annually
- Cumulative Standing Trauma(CST) causes Billions of dollars of loss annually due to reduced productivity, increased worker compensation, higher insurance rates and absenteeism
- According to the American College of Occupational and Environmental Science, about 38% of workers in the United States suffer from fatigue. Testing shows that Ergonomic Matting can reduce worker fatigue.

M+A Matting has the **right mat** for every job.

Scraper Entrance Mats

Your First Line of Defense

Scraper mats are designed to stop mud and larger particles of dirt from being tracked inside buildings. These mats provide aggressive scraping action and trap dirt and debris in recessed areas until the mats are cleaned. Scraper mats can be used outside or inside and should be used in conjunction with a Scraper/Wiper mat and a Wiper mat.



Scraper/Wiper Entrance Mats

The Second Step to Keeping Dirt Outside

Scraper/Wiper mats are designed to provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough fabrics. They channel and retain dust in recessed grooves while absorbing moisture in the fabric face. These mats are primarily used inside but may be used outside as well.

Wiper Entrance Mats

Logo Mats

Promote a Positive Image

Custom designed logo mats are a unique

way to promote a company's image. Logos or

other designs can be replicated on the face of

numerous styles of mats without any setup

charge. Logo mats add a professional look to

keep contaminants from entering a facility.


any entrance, while acting as a further barrier to

The Third Weapon Against Dirt and Moisture

Wiper Entrance Mats are designed to stop any remaining dust and moisture left after using the Scraper mat and Scraper/Wiper mat. These mats are made with carpet facing to complement most interiors. These mats are for indoor use and when used in conjunction with a Scraper mat and Scraper/Wiper mat, they can stop as much as 85% to 95% of dirt and grime from being tracked into a building







SBR Rubber .078 mil thickness **Cleated backing** Recommended for carpeted floors.

SBR Rubber .078 mil thickness Smooth backing Recommended for hard floor surfaces with light to medium traffic.

Anti-Fatigue Mats Provide Comfort and Increase Productivity

Anti-Fatigue mats are available in a wide range of sizes, weights and materials. It has been proven that the proper use of anti-fatigue mats can enhance worker productivity by over 20%. These mats are designed for use wherever workers spend time standing and will help to eliminate muscular skeletal disorders.



Slip Resistant and Safety Mats

Protect against Slips and Falls

Slip resistant and safety mats help provide safe working areas for employees and visitors to facilities. 85% of worker's compensation claims are attributed to employees slipping on slick floors. The utilization of slip resistant mats is an ideal solution to prevent such accidents from occurring.



www.mamatting.com

8

Waterhog[®] Backing Types





Nitrile Rubber .100 mil thickness **Anchor Safe backing** Recommended for hard floor surfaces with heavy traffic and where carts are in use.



Wet Area Solution

Flow through mats allow liquids to pass through them to eliminate slip hazards. Anti-fatigue properties provide comfort when standing for long periods of time. The thick rubber helps alleviate stress on the legs, feet and lower back.











M+A MATTING ENTRANCE MAT AND TILE COLLECTION

WATERHOG[®] LOW PROFILE WATERHOG® LOW PROFILE MODULAR TILE WATERHOG® ECO GRAND ELITE WATERHOG® ECO GRAND PREMIER WATERHOG® GRAND CLASSIC WATERHOG® ECO ELITE WATERHOG® ECO ELITE FASHION WATERHOG[®] ECO PREMIER WATERHOG® ECO PREMIER FASHION LEGACY ECO LEGACY ECO FASHION WATERHOG® CLASSIC WATERHOG® FASHION WATERHOG® DRAINABLE WATERHOG® CLASSIC DIAMOND WATERHOG® FASHION DIAMOND LEGACY CLASSIC LEGACY FASHION WATERHOG® ECO ELITE ROLL GOODS BERBER ROLL GOODS WATERHOG® CLASSIC TILE WATERHOG® ECO PREMIER TILE WATERHOG® MODULAR TILE SQUARE WATERHOG® LIFT TRUCK SUPERSCRAPE™ SUPERSCRAPE[™] PLUS MELT STEP[™] WATERHOG® DIAMONDCORD WATERHOG® MASTERPIECE SELECT BRUSH HOG™ BRUSH HOG[™] PLUS FLEX TIP[™] FRONTIER

11







WATERHOG[®] LOW PROFILE* and WATERHOG[®] LOW PROFILE **MODULAR TILE**

3/10" Waterhog Low Profile Product No. 251 1/4" Waterhog Low Profile Modular Tile Product No. 252

WH LOW

PROFILE

SIZES

3' x 5'

3' x 10'

WH LOW

PROFILE

MODULAR

TILE SIZES

3' x 3'

4' x 6' 4' x 10'

- Guards against slip and falls by keeping floor dry and clean... 80% of slip and fall accidents occur on wet floors
- Low profile flat borders reduce potential tripping hazards
- Available as modular tile or individual mats
- Easy to install and maintain. Perfect for permanent and semi-permanent installations.
- Commercial grade polypropylene fabric for high traffic areas
- Mats feature Anchor Safe Backing made with heavy 100 mil nitrile rubber that keeps mats in place
- Modular tiles feature smooth backing for glue down or two sided tape installations

IN THE

• 3' x 3' modular tiles can be placed side by side or end Sizes are approximate. to end to build out large areas

erhog Eco Grand Elite Waterhog Eco Grand Elite one end khaki two ends ENTRANCE/SCRAPER-WIPER/ INDOOR-OUTDOOR Half Oval Product No. 2246 One End Product No. 2243 Two Ends Product No. 2244



171 indigo 172 southern pine

170 black smoke

173 grey ash







WATERHOG[®] ECO GRAND ELITE

3/8" Half Oval: No. 2246 One End: No. 2243

Two Ends: No. 2244

- Earth friendly 30 oz/sq yd 100% post consumer recycled PET fabric reclaimed from plastic drink bottles
- SBR rubber backing contains 20% recycled rubber from car tires
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the product
- Unique "Water Dam" allows the Waterhog mat to hold up to $1\frac{1}{2}$ gallons of water per square yard; water and dirt stay on the mat
- Anti-Static and certified slip resistant by National Floor Safety Institute
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surfaces
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES

HALF OVAL 3' x 1.8' 4' x 2.3' 6' x 3.3' ONE END 3' x 5.5' 3' x 10'	TWO ENDS 3' x 7.1' 3' x 11.7' 3' x 15.5' 3' x 19.4' 3' x 23.2' 4' x 8'
3' x 10' 3' x 13.9' 3' x 17.7' 3' x 21.6' 4' x 5.9' 4' x 10.5' 4' x 14.4' 4' x 18.2'	4' x 12.6' 4' x 16.5' 4' x 20.3' 6' x 10.1' 6' x 14.8' 6' x 18.6' 6' x 22.4'
4' x 22' 6' x 7' 6' x 11.6' 6' x 15.4' 6' x 19.3' 6' x 23.1'	Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available

in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing. ***Note:** Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.





SIZES

3' x 1.8'

4' x 2.3'

6' x 3.3'

ONE END

3' x 5.5'

3' x 10'

3' x 13.9'

3' x 17.7'

3' x 21.6'

4' x 5.9'

4' x 10.5'

4' x 14.4'

4' x 18.2'

4' x 22'

6' x 11.6'

6' x 15.4'

6' x 19.3'

6' x 23.1'

Nitrile rubber

6' x 7'

HALF OVAL

TWO ENDS

3' x 7.1'

3' x 11.7'

3' x 15.5'

3' x 19.4'

3' x 23.2'

4' x 12.6'


4' x 8'

Sizes are

WATERHOG[®] ECO GRAND PREMIER

3/8" Half Oval: No. 2246 One End: No. 22248 Two Ends: No. 2249

- Earth friendly 30 oz/sq yd 100% post consumer recycled PET fabric reclaimed from plastic drink bottles
- SBR rubber backing contains 20% recycled rubber from car tires
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the product
- Unique "Water Dam" allows the Waterhog mat to hold up to $1\frac{1}{2}$ gallons of water per square yard; water and dirt stay on the mat
- Anti-Static and certified slip resistant by National Floor Safety Institute
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surfaces
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more





	missione.		2020 - Carlos 2020 - Carlos		and the second	ACC NO.	ees de
170 black smoke	171 indigo	172 southern pine	173 grey ash	174 maroon	175 chestnut brown	176 khaki	177 regal red
				(MADE			

IN THE





two ends: No. 2	two end	1S:	N	0.	21	4
-----------------	---------	-----	---	----	----	---

SIZES	
HALF OVAL 3' x 1.8' 4' x 2.3' 6' x 3.3' ONE END 3' x 5.5' 3' x 10' 3' x 13.9' 3' x 17.7' 3' x 21.6' 4' x 5.9' 4' x 10.5' 4' x 5.9' 4' x 10.5' 4' x 12.2' 6' x 7' 6' x 11.6' 6' x 15.4' 6' x 19.3' 6' x 23.1' Sizes are approxi	TWO ENDS 3' x 7' 3' x 11.7' 3' x 15.5' 3' x 19.4' 3' x 23.2' 4' x 8' 4' x 12.6' 4' x 12.6' 4' x 16.5' 4' x 12.6' 4' x 16.5' 4' x 20.3' 6' x 10.1' 6' x 14.8' 6' x 18.6' 6' x 22.4'
	es. Mats up to 40'





nog Eco El

SIZES

3' x 5'

4' x 6'

4' x 8.4'

See price list for

backing available with

a 30% upcharge. This

backing is .100 mil

thick Nitrile rubber.

31026436

173 grey ash

3/8" Product No. 2240

WATERHOG[®] ECO ELITE FASHION

3/8" Product No. 2241

- Earth friendly 30 oz/sq yd 100% post consumer recycled PET fabric reclaimed from plastic drink bottles
- SBR rubber backing contains 20% recycled rubber from car tires
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the product
- Unique "Water Dam" allows the Waterhog mat to hold up to 1½ gallons of water per square yard; water and dirt stay on the mat
- · Anti-Static and certified slip resistant by National Floor Safety Institute
- · Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surface
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

172 southern pine

171 indigo



175 chestnut brown

176 khaki

177 regal red

ENTRANCE/SCRAPER-WIPER/ INDOR-OUTDOOR



ENTRANCE/SCRAPER-WIPER/ INDOOR-OUTDOOR



174 maroon



170 black smoke





WATERHOG® ECO PREMIER

3/8" Product No. 2295

2' x 3'	4' x 10'
3' x 4'	4' x 12.2'
3' x 5'	4' x 16'
3' x 6'	4' x 20'
3' x 8.4'	6' x 6'
3' x 10'	6' x 8.4'
3' x 12.2'	6' x 12.2'
3' x 16'	6' x 16'
3' x 20'	6' x 20'
4' x 6'	
4' x 8.4'	







150 camel	151 medium brown	152 dark brown	153 light green*	154 charcoal	155 red/black	156 medium blue	157 medium grey	158 bluestone	159 evergre
			ors sense		0.043				
160 bord	leaux 161 nav	vy 162 white	e* 163 aquam	arine* 164 g	old* 165	solid red* 166	6 yellow* 16	7 orange* 1	68 purple*
							*These cold	ors are available in 3' an	d 4' widths only.


40' are available only in

Smooth backing.

*Note: Anchor Safe backing available with

thick Nitrile rubber.

a 30% upcharge. This backing is .100 mil





smooth backing for hard floor surfaces, or Anchor Safe

• Recommended for commercial buildings, hotels, restaurants,

healthcare facilities, office buildings and more

backing* for maximum movement control on hard surface



2' x 3'	4' x 8.4'
3' x 4'	4' x 10'
3' x 5'	4' x 12.2'
3' x 6'	4' x 16'
3' x 8.4'	4' x 20'
3' x 10'	6' x 6'
3' x 12.2'	6' x 8.4'
3' x 16'	6' x 12.2'
3' x 20'	6' x 16'
4' x 6'	6' x 20'
Sizes are ann	rovimate See n



Waterhog Eco Elite Roll Goods

2261 734

E.S.F

1200

1


Charles I

WATERHOG[®] ECO ELITE **ROLL GOODS**

3/8" Product No. 2271* and 2272**

- Environmentally friendly matting solution is made with 100% post-consumer recycled PET Polyester fiber derived from used plastic bottles
- Rubber backing contains 20% post-consumer recycled tires. Available with smooth backing only.
- Permanently reinforced bi-level Waterhog construction effectively allows dirt and moisture to be filtered at the door and contained in the base of the mat, away from foot traffic
- Every square foot of a Waterhog Eco mat eliminates 4 half liter plastic bottles from the waste stream
- May be purchased pre-seamed and bordered or rolls may be purchased separately and installed on site
- Great for large entrances and custom cut applications in sizes up to 12'x 50'





	missione and		1999 - 1999 -			Second P	and the
170 black smoke	171 indigo	172 southern pine	173 grey ash	174 maroon	175 chestnut brown	176 khaki	177 regal red

IN THE USA





20






















DOUBLE SIDED TAPE* installation system eliminates mat movement. Installation instructions available at www.mamatting.com. *Double Sided Tape not included

Waterhog Lift Truck charcoal

WATERHOG® LIFT TRUCK

3/8" Product No. 253 3" x 108" Roll Double Sided Tape Product No. 1049

- Bi-level surface effectively removes moisture and dirt | SIZE from lift truck wheels to improve lift truck safety 4' x 6'
- Modular mats are easy to install and scalable for the Sizes are annroximate application
- Aggressive adhesive taping system keeps tiles from moving (tape sold seperately)
- Polypropylene carpet is easy to clean and fast drying
- Made in the USA
- Durable rubber backing and polypropylene carpet top withstands lift truck traffic up to 14,000 lbs
- Recommended for all buildings where lift trucks must enter and exit a building to and from the outside



IN THE


SUPERSCRAPE[™]

- surface

- as a slip resistant mat in wet areas
- the National Floor Safety Institute














21 2







SUPERSCRAPE[™] PLUS

3/16"	without holes	Product No. 5558
3/16"	with holes	Product No. 5559








WATERHOG® DIAMONDCORD

3/8" Product No. 296

- 26 oz Corduroy berber look offers the ultimate in aesthetic appeal
- Manufactured with a permanent rubber reinforced bi-level face that minimizes crushing to provide dirt and moisture collection
- Thick and fine Polypropylene fibers wipe and scrape at the same time
- Rubber backing is 20% post-consumer recycled tire content
- Rubber water dam border keeps moisture and dirt from migrating off the mat
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surfaces
- Ideal choice for medium traffic placements






扫扫













3' x 5' 4' x 10' 3' x 6' 6' x 6' 3' x 8.4' 6' x 8.4' Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing available with

SIZES

3' x 10'

backing. ***Note:** Anchor Safe

Nitrile rubber

a 30% upcharge. This backing is .100 mil thick

2' x 3' 4' x 6' 3' x 4' 4' x 8.4'



180 charcoal cord



3/8" Product No. 265

- Construction provides a rubber reinforced bi-level surface for long-term service
- 28 oz Polypropylene face and a SBR rubber backing with 20% post-consumer recycled tire content
- Rubber water dam border keeps moisture and dirt from migrating off the mat
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing* for maximum movement control on hard surfaces
- Ideal choice for medium traffic placements

SIZES


2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	4' x 10'
3' x 8'	6' x 8'
3' x 10'	

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing. *Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.









entrance/scraper/outdoor

Flex Tip

3/8" Product No. 437	
• Unbacked vinyl loop scraper mat	SIZES
• Filters dirt and water at the door	2' x 3' 4' x 8'
• Use in locker rooms, showers and around pools	3' x 5' 3' x 60' 3' x 10' 4' x 60' 4' x 6'
• Order with or without edging	Sizes are

approximate.

FRONTIER



301 charcoal brush

303 brown brush

304 burgundy brush

305 green brush

302 navy brush




FLEX TIP[™]

5/8" Product No. 874

- Two thousand finger-like tips/sq. ft (21,000/m2) aggressively scrape soil from shoes
- Excellent for outdoor use
- OSHA-compliant beveled edges and deep wells hold heavy soil and debris
- Has excellent anti-fatigue capabilities
- Easily cleaned by hosing off or shaking



36" x 72"





ENTRANCE/SCRAPER/OUTDOOR









INTERIOR MAT COLLECTION

SURESTRIDE[™] PLUSH SURESTRIDE[™] PLUSH CLEAN STRIDE[®] CLEAN STRIDE[®] CLEAN STRIDE[®] CREASE PLUS[®] GREASE HOG[™] GREASE HOG[™] FLOOR SAFE TILES COLORSTAR[®] PLUSH IMPRESSIONIST VICTORY COBBLESTONE

SUBE STRIDE®

		INDOOR/SLIP-RESISTANT
3' x 100' Roll Cutting Board Cutting Knife	Product No. 4450 Product No. 4459 Product No. 4460	
 Fabric has 35% more fiber than Absorbs up to 10 gallons per roll competitive pr Quick and ex needed from Will Perfo 	a safe walking surface ps mat flat and in place – 3' x 100' hazard om soaking through to the floor ypropylene fabric and is easy to clean similar competitive products – 25% more than similar oducts asy to install. Cut individual mats as	
Cutting Knife Cutting Board (sold separately) Tacki Back	INDOOR/SLIP-RESISTANT	SURE STRIDE® PLUSH
		 Product No. 4457 Surface is Certified High Traction by the National Floor Safety Institute which provides a safe walking surface Very low profile reduces tripping hazard Tacki Back adhesive system keeps mats flat and in place – even with wheel chair, cart and buggy traffic Attractive ribbed carpet is anti-microbial treated Moisture barrier keeps liquids from soaking through to the floor Mat constructed from durable post-consumer recycled PET fabric and is easy to clean Quick and easy to install. Cut individual mats as needed from roll. Will perform 3 to 6 months under normal use Recommended for commercial use on hard floor surfaces, including entrances, to prevent slips, trips and falls caused by wet floors

SureStride Plush









CLEAN STRIDE®

RUBBER

26.5" x 32"

36.5" x 46"

CARPET/

RUBBER

FRAME SIZES

FRAME SIZES

26.5" x 63.5"

36.5" x 92.5" Clean Stride®

Mat Frames **do** not include Clean

Stride[®] Inserts


24" x 30"

34" x 44"

INSERT SIZES

3/8" frame only	Product No. 410
3/8" frame with carpet	Product No. 411
inserts	Product No. 412

- Earth-friendly SBR rubber backing has 20% recycled rubber content. Available in smooth or cleated backing.
- Not recommended for wet areas
- As foot traffic passes over the mat, the WaterHog[™] surface scrapes larger particles while the adhesive insert captures smaller dust & dirt. With two footsteps on Clean Stride[®] adhesive insert, over 90% of dirt particles are removed.
- Clean Stride[®] mats provide highly effective dirt and dust removal methods for factories, computer rooms, warehouses, school gymnasiums, health care facilities and more





CL

K

CLEANSHIELD® URINAL MAT with Seep Guard Tacki Back

Case of Six Product No. 4065



THE .

30

29

100

Seep Guard Tacki Back

MADE IN THE USA

- Anti-Microbial Treated to reduce odors
- Seep Guard Tacki Back eliminates urine seepage to the floor while keeping mat in place
- Easy to read 30 day Timestrip[®] indicates when it is time to replace the mat
- 100% eco friendly post-consumer recycled PET fabric with attractive diamond pattern
- Improves bathroom appearance by protecting the floor SIZE & grout from uric acid damage 17 1/4" x 20 1/2"

SCRAPER-WIPER/

The Clean Stride[®] adhesive insert is comprised of 60 layers of adhesive coated film. Each layer will perform many times before it must be peeled away. Each layer is numbered to ensure one sheet at a time removal and to indicate the number of layers remaining.

Clean Stride Frame with Carpet red/hlack

164 gold



166 yellow

167 orange

168 purple



Enviro Plus khaki

ENVIRO PLUS®

1/4" Product No. 2202

3' x 5' 4' x 16'

3' x 8' 4' x 20' 3' x 10' 6' x 8'

3' x 12' 6' x 12'

3' x 16' 6' x 16'

3' x 20' 6' x 20'

4' x 6'

4' x 8'

Sizes are

approximate.

up to 60'. See

price list for all

additional sizes.

Additional lengths

- Earth friendly 30 oz/sq yd 100% post consumer recycled SIZES 2' x 3' 4' x 10' PET fabric reclaimed from plastic drink bottles 3' x 4' 4' x 12'
- Backing is post-consumer recycled tires and EPDM (post-industrial waste rubber); smooth backing only
- Recycled content is 89% of total product weight (76% post-consumer, 13% post-industrial)
- Effective as a wiper mat in entryways. Also use for floor protection and spill control at water fountains, break areas, food counters, hallways, labs and more
- Anti-static

• Anti-Static
• Recommended for commercial buildings, hotels,
restaurants, healthcare facilities, office buildings
and more

170 black smoke 171 indigo 172 southern pine 173 grey ash 174 m	aroon 175 ct	estnut brown 176 khaki	177 regal
TRI-GRIP [™]	TRI-GRIP SIZES		00
3/16" Product No. 100 Colors 101, 102, 103, 109, 111, 113, 114, 116, 119, 121, 128, 129, 132, 141 on SBR rubber	2' x 3' 3' x 4' 3' x 5' 3' x 6' 2' x 9'		
3/16" Product No. 190 Colors 105, 125, 126, 127, 131 on SBR rubber	3' x 8' 3' x 10' 4' x 6' 4' x 8'		In succession
Vinyl back available as Stylist: Product No. 872	4' x 10'		
TRI-GRIP [™] XL	Additional lengths up to 40'. See price list for		Tri-Grip erald green
3/16" Product No. 2100 on Nitrile rubber	all additional sizes.		
 Heavy, 100% static dissipative nylon face offers outstanding absorption and durability Tight, heat-set, Ultra-Twist[™] yarn construction resists packing and crushing 	TRI-GRIP XL SIZES 7'- 12' widths		

- Earth friendly SBR rubber backing has 20% recycled content. Resists curling and cracking.
- Also available with oil and grease resistant Nitrile rubber backing
- Available with cleated backing for placement on carpet or smooth backing for hard floor surfaces. Cleated backing available in 3', 4' and 5' widths only.
- All Tri-Grip[™] mats are certified slip resistant by the National Floor Safety Institute



MADE IN THE USA


are available


in lengths up

to 30'. See









101 red/black*

102 b

COLORSTAR® PLUSH

7/16" Product No. 180

- Heavy, 35 oz./sq. yd. nylon face creates the ultimate wiping surface
- Double thick Nitrile rubber backing keeps mat stable, even with cart traffic
- Solution dyed nylon face will not fade over time
- Available with grippers for placement on carpeted surfaces and smooth backing for hard surfaces
- Can be machine washed and dried or vacuumed and extraction cleaned
- sizes • Perfect for use in grocery stores, airports, educational Sizes are facilities, Class A buildings or any high traffic entrance way approximate.





64 golden brow

67 midnight grey

SIZES

2' x 3'

3' x 4'

3' x 10'

4' x 6'

4' x 8'

See price

list for all

additional



51 deeper nav


48 brown/black

66 black


IMPRESSIONIST

76 red pepper

65 slate grey









VICTORY







13 charcoal

14 green

15 silver







LOGO MAT, SIGN MAT & MESSAGE MAT COLLECTION

WATERHOG IMPRESSIONS HD® WATERHOG® LOGO INLAY WATERHOG" ECO ELITE ROLL GOODS LOGO BERBER ROLL GOODS LOGO LEGACY INLAY LEAGACY FASHION INLAY WATERHOG® SCULPTURES CLASSIC IMPRESSIONS" HD LOGO GRAND IMPRESSIONS HD LOGO CLASSIC IMPRESSIONS HD LOGO

M+A Matting offers numerous types of logo mats.

Each of these logo mat processes result in high quality products your customers will be very proud to use. Pricing is calculated by each individual design number and quantity. Different size logo mats and standard mats may not be combined for quantity discount.

Ordering Logo Mats is as easy as 1-2-3:

1) Visit **www.mamatting.com** to submit your logo file using our easy to use web page.

2) Log into your account and simply click on "Logo Mats" and then "Submit Design".

3) Complete the necessary information on the submit page, attach your logo file and then click on "Send your design". Artwork should be 300 dpi or greater.

Your proof will be emailed back to you within 24 hours. Once your proof arrives by email, please take the following simple steps:


1) Approve or make necessary changes to the proof.

2) Return the art proof with any changes or approved art proof with purchase order and quantity of mats to artwork@mamatting.com.

Acceptable	Unacceptable	Marginal
Vector Graphic Files:	Faxes	Color Prints*
AI, EPS, PDF, CDR, SVG	Emblems	Newspaper Ads
Image Files:	Copies of Emblems	Yellow Pages Ads
TIFF (600 DPI/PPI)	Banners	Business Cards
JPG (600 DPI/PPI)	Flags	
PNG (600 DPI/PPI)	Full Size Mats	
Black/White Ad Slicks	Badges	
Letterhead	Shirts	
Brochures	Hats	
Business Literature		

*Color prints, if available, may be submitted to show color placement for a design.





2:45 PM

* 56%

Q

Visit your app store and search "M+A Matting" to download app.



Create your own proofs with M+A Matting Mobile App!

M+A MATTING MOBILE APP

M+A Matting mobile app provides an easy way for users to search and view existing mat designs as well as create proofs using simple tools. Each user will be able to:

- Create proofs using the mobile device camera or by loading an image from their library
- Have access to a personal dashboard that saves all current and former artwork submissions associated with their account
- Get instant artwork approval using e-signature feature
- Track orders of designs that were created via the mobile app
- Filter search results by product category, size or mat orientation

M+A Matting's user friendly app is compatible with any mobile device. Below is a condensed list of compatible devices:

- Android
- Android tablets
- iPhone*
- iPad*
- iPod Touch*
- *all Apple products require iOS 6.0 or later

Waterhog mpressions HD with



Color options

	57 standard color options	2'x 3' 4'x 6'
AT LESS A REAL PROVIDED AND A R	 Bi-level surface effectively removes and stores dirt 	3' x 4' 4' x 8'
	and moisture beneath shoe level until cleaning	3'x 5' 6'x 8'
	Rubber reinforced face nubs prevent pile from	3' x 10' 6' x 10'
	crushing, extending the performance life of the product	3' x 12' 6' x 12'
	Molded nitrile rubber backing resists curling	3' x 16' 6' x 16' 3' x 20' 6' x 20'
	and cracking in all types of weather. Available in	3 X ZU 6 X ZU
	smooth and cleated backing types	
	Available with your choice of Classic Rubber border	
	or Fashion Fabric border	Sizes are
प्रदारमध्य वस्त्र वस्त्र स्वत्र स		approximate. See
	 Perfect for high traffic areas 	price list for all
E F G	 No set up charge! Free proofs in 24 hrs! 	additional sizes.
	MADE	

WATERHOG

IMPRESSIONS HD®

3/8" Classic (Rubber Border) Product No. 2381

3/8" Fashion (Fabric Border) Product No. 2380

SIZES

• State-of-the-art digital printing system with up to

V	F	0	
		10	3.
/		E.	
		anala a	
	K		

WATERHOG[®] LOGO INLAY

3/8"	Classic (rubber border)	Product No. 23
3/8"	Fashion (fabric border)	Product No. 23
UV resista	nt polypropylene fabric for inc	loor and outdoor

- 100% placements
- Molded rubber backing resists curling and cracking in all types of weather. Available in smooth and cleated backing types.
- Earth-friendly rubber backing has 20% post-consumer recycled content
- Designs are created using a unique inlay process that can include up to 19 colors per mat at no additional charge
- Available with your choice of Classic Rubber border or Fashion Fabric border
- No set up charge! Free proofs in 24 hrs!
- Perfect for high traffic areas

150 compl	151 medium brown	152 dark brown	152 light groont	154 shor
150 camel	151 medium brown	152 dark brown	153 light green*	154 char
160 bor	deaux 161 nav	vy 162 wi	nite* 163 aqua	amarine*





Waterhog Logo Inlay red/black Classic border



















LEGACY INLAY



MADE IN THE USA









CLASSIC IMPRESSIONS™ LOGO

3/8" SBR or vinyl backing Product No. 70

- Long-wearing, 26 oz/sq yd, static-dissipative nylon carpet SIZES
- Earth-friendly rubber backing contains 20% post-consumer recycled content resists curling and cracking
- Available with cleated backing (3', 4' and 5' widths only) for placement on carpet or smooth backing for hard floor surfaces
- No set up charge! Fast Service!
- Recommended for commercial buildings, hotels, restaurants, health care facilities, office buildings and more
- Search over a million designs in our logo database at www.mamatting.com charge.







2' x 3' 4' x 8' 3' x 4' 5' x 8' 3' x 5' 5' x 10' 3' x 10' 6' x 10' 4' x 6' 6' x 12'

Sizes are approximate. See price list for all additional sizes. PMS custom color available at an additional



SI	Z	E	S
2.	5'	Х	3'
3'	Х	4'	
3'	Х	5'	
3'	Х	1()'
4'	Х	6'	
4'	Х	8'	
6'	Х	6'	
6'	Х	8'	





ANTI-FATIGUE MAT & SLIP RESISTANT MAT COLLECTION

HOG HEAVEN® HOG HEAVEN PRIME® HOG HEAVEN PRIME DECOR™ HOG HEAVEN® MARBLE TOP HOG HEAVEN® PLUSH HOG HEAVEN® FASHION GETFIT STANDUP[™] MAT HOG HEAVEN III™ MODULAR TILE COMFORT HOG HEAVEN III[™] MODULAR TILE COMFORT w/GRIT HOG HEAVEN III™ LINKABLE MATS COMFORT HOG HEAVEN III™ LINKABLE MATS COMFORT w/GRIT HOG HEAVEN III[™] WORKSTATION MATS COMFORT HOG HEAVEN III™ WORKSTATION MATS COMFORT w/GRIT HOG HEAVEN III™ MODULAR TILE TRAFFIC HOG HEAVEN III[™] MODULAR TILE TRAFFIC DRAINABLE HOG HEAVEN III™ LINKABLE MATS TRAFFIC HOG HEAVEN III™ LINKABLE MATS TRAFFIC DRAINABLE HOG HEAVEN III[™] MODULAR TILE FASHION HOG HEAVEN III™ LINKABLE MATS FASHION HOG HEAVEN III™ WORKSTATION MATS FASHION HOG HEAVEN III[™] MODULAR TILE POLY HOG HEAVEN III™ LINKABLE MATS POLY HOG HEAVEN III™ WORKSTATION MATS POLY HAPPY FEET[®]/HAPPY FEET[®] LINKABLE COMPLETE COMFORT™ COMPLETE COMFORT[™] II COMFORT FLOW[™]/SCRAPE[™] COMFORT FLOW[™]/SCRAPE[™] w/GRIT COMFORT FLOW[™]/SCRAPE[™] HD MODULAR TILE COMFORT FLOW[™]/SCRAPE[™] HD LINKABLE MATS COMFORT FLOW[™]/SCRAPE[™] HD MODULAR TILE w/GRIT COMFORT FLOW™/SCRAPE™ HD LINKABLE MATS w/GRIT COMFORT FLOW[™]/SCRAPE[™] HD WORKSTATION MATS COMFORT FLOW™/SCRAPE™ HD WORKSTATION MATS w/GRIT WET STEP® CUSHION STATION™ CUSHION MAX[™] TRACTION TREAD TRACTION TREAD SOFT SURE CUSHION RIBBED, TEXTURE, SURE CUSHION HEAVY DUTY, YELLOW BORDER SURE TREAD V-GROOVE KNEELING COMFORT™ SAFETY SCRAPE™ TRACTION HOG II[™]

The Benefits of ANTI-FATIGUE MATS



Anti-Fatigue mats alleviate stress to the back and legs by providing a cushioned surface to stand on.


Anti-Fatigue mats are perfect for people who have to stand or work in the same place for continual periods of time.

Anti-Fatigue mats are recommended for a wide variety of industries and are commonly placed in various applications such as:

- Production or assembly lines
- Stand Up Desks or Workstations
- Kitchens
- Cashier Desks
- Laboratories and many more

M+A Matting Anti-Fatigue mats have been shown to do the following:

- REDUCE ENERGY CONSUMPTION BY UP TO 50% in the supporting muscles such as those in the leg and the lower back, when compared to standing on a hard floor
- **REDUCE FATIGUE** by promoting subtle movement in the leg and calf muscles, resulting in increased blood and oxygen flow



BALANCED

- Improves structural alignment and joint function
- Improves muscular balance and prevents nerve impingement
- Reduces uneven wear and tear on joints
- Body weight evenly distributed
- Efficient natural movement
- Reduced pressure on organs

IMBALANCED

- Neck pain and headaches
- Shoulder restrictions and pain
- Arm and hand pain nerve entrapment
- Bulging discs/back pain
- Uneven pressure/knee pain
- Uneven weight distribution
- Foot and ankle pain

Safety and Ergonomics

Mats are used throughout facilities in numerous other capacities where safety is a must and anti-fatigue comfort is essential to the health and well being of employees.

- Slip and falls are the second leading cause of all workplace injuries according to Liberty Mutual Workplace Index. As many as 25,000 people a day are victims of slip and fall accidents(NSC)
- Compensation and medical costs associated with employee slip and fall accidents total approximately \$70 Billion annually(NSC)
- The average cost of a slip and fall injury exceeds \$12,000(Wausau Insurance)
- The average cost to defend a slip and fall lawsuit is \$50,000(NFSI)
- Back injuries account for 25% of all worker compensation claims annually
- Cumulative Standing Trauma(CST) causes billions of dollars of loss annually due to reduced productivity, increased worker compensation, higher insurance rates and absenteeism
- According to the American College of Occupational and Environmental Science, about 38% of workers in the United States suffer from fatigue

Testing shows that Ergonomic Matting can reduce worker fatigue.

ESD Matting is designed to quickly drain static electricity from people to help protect sensitive equipment from damage.


ESD Matting is divided into three classifications:

- 1. Electrically Conductive is rated 10^1 to 10^5 and accepts static electricity the quickest. This is the most often used ESD matting.
- **2. Static Dissapative** is rated 10^6 to 10^9 and is the middle range of ESD matting.
- 3. Anti-Static is rated 10^10 to 10^14 and accepts static the slowest.

ESD Matting is rated in ohms, or the measure of resistance. The lower the resistance, the more quickly static is accepted by the matting, i.e., the lower the exponential, the more quickly static is accepted.

Electrically Conductive Mats			
HOG HEAVEN [™]	HOG HEAVEN, HOG HEAVEN III COMFORT		
5/8" black borderProduct No. 4215/8" striped borderProduct No. 4237/8" black borderProduct No. 4227/8" striped borderProduct No. 424	Surface to Ground 50% Relative Humidity 1.7 x 10 ⁴ Ohms 2.9 x 10 ⁴ Ohms		
HOG HEAVEN" III COMFORT	Surface to Surface		
18" x 18" Modular Tile Comfort No. 4471 36" x 36" Modular Tile Comfort No. 4472 Linkable Mats Comfort, black border No. 4210 Linkable MatsComfort, yellowborder No. 4211	50% Relative Humidity 12% Relative Humidity 2.6 x 10 ⁴ Ohms 4.9 x 10 ⁴ Ohms		
	HAPPY FEET		
HAPPY FEET [™]	Surface to Ground		
BLACK BORDER textured surface Product No. 465 grip surface Product No. 475	50% Relative Humidity 12% Relative Humidity 3.5 x 10 ⁴ Ohms 1.6 x 10 ⁵ Ohms		
Linkable textured surface: end Product No. 467 textured surface: middle Product No. 469 grip surface: end Product No. 477 grip surface: middle Product No. 479	Surface to Surface 50% Relative Humidity 12% Relative Humidity 6.9 x 10 ⁴ Ohms 5.8 x 10 ⁵ Ohms		
STRIPED BORDER textured surface Product No. 466 grip surface Product No. 476 Linkable textured surface: end Product No. 468 textured surface: middle Product No. 470	TRACTION TREAD Surface to Ground 50% Relative Humidity 12% Relative Humidity		
grip surface: end Product No. 478 grip surface: middle Product No. 480	2.2 x 10 ⁴ Ohms 2.5 x 10 ⁴ Ohms		
TRACTION TREAD	Surface to Surface		
TRACTION TREAD	50% Relative Humidity 12% Relative Humidity		
Product No. 50	5.5 x 10 ⁴ Ohms 5.5 x 10 ⁴ Ohms		
	Ac		
	allow static electricity to pass more efficient		

to a ground and provide a controlled path. Use the cord to connect all ESD floor mats to a building ground. The terminal can be connected to an electrical outlet using the screw in the outlet cover. Product No. 991



ESD Matting



ssories

ntly

Heel Grounders are made for workers wearing rubber soles and other insulating shoes. They allow static electricity to pass around the shoe into the ESD matting. Fasten the Heel Grounder to the heel of the shoe with the Velcro and allow the fabric strip to touch the sock or skin for best performance.

HOG HEAVEN®

SIZES

2' x 3' 3' x 5'

3' x 12'

4' x 6'

4.8' x 8'

to 60'.

Additional

lengths up

See price

list for all additional


Sizes are

approximate.

sizes.

5/8"	Black Border	Product No. 421
5/8"	Striped Border	Product No. 423
7/8"	Black Border	Product No. 422
7/8"	Strined Rorder	Product No 424

- Nitrile rubber top surface has 20% recycled content
- Closed cell Nitrile rubber cushion is permanently molded (not glued) to the Nitrile rubber top surface
- Rubber borders will not crack or curl
- Chemical Resistant, Grease & Oil Proof
- Electrically conductive and certified slip resistant by the National Floor Safety Institute
- Welding Safe
- Borders are beveled and are available with OSHA approved vellow color
- Recommended for distribution, manufacturing and retail facilities for picking lines, assembly lines, work stations, check-out stations and more













HOG HEAVEN PRIME®

3/4" black Product No. 4220 3/4" black w/yellow striped border Product No. 4221 • Urethane foam comfort at an affordable price SIZES • Nitrile rubber molded to a closed cell nitrile cushion 2' x 3' 3' x 5' for superior comfort and performance 3' x 10' • Edge to Edge cushion Sizes are approximate. • High heel shoe safe, welding safe, and static dissipative • Anti-microbial treated for lifetime protection against odors and degradation Beveled borders • Grease and oil proof, chemical resistant • Certified slip resistant by the National Floor Safety Institute • Recommended for use in areas such as distribution, light manufacturing, work stations, check out stations, retail and healthcare environments

> 1-black black w/yellow striped

HOG HEAVEN PRIME® DÉCOR

3/4" Product No. 4222

- Six designs in a fashionable Black and Black/Grey color scheme that compliments all decors
- 3' x 5' • Durable woven PVC top is stain and "high heel" resistant 3' x 10'
- Woven PVC top molded to a closed cell nitrile cushion for superior comfort and performance
- Edge to Edge cushion, beveled borders
- Recommended for use in areas such as distribution, light manufacturing, work stations, check out stations, retail, healthcare, hospitality, and education environments












SIZES Sizes are approximate.

2' x 3'





5/8" Product No. 448 7/8" Product No. 449

- Closed cell Nitrile rubber cushion provides long lasting comfort
- Extra thick (.170") PVC/rubber top ensures long life
- Borders will not crack or curl
- Smooth diamond patterned top allows workers to pivot freely
- Surface is easy to clean
- Cushion is not glued on but is permanently molded to rubber top eliminating the possibility of delamination
- Anti-static

SIZES

2' x 3' 3' x 5' 3' x 12' 4' x 6' Additional lengths up to 60'. See price list for all additional sizes.


Sizes are approximate.



HOG HEAVEN® PLUSH

5/8" Product No. 446 7/8" Product No. 447

- Anti-static, slip-resistant 100% solution-dyed nylon top surface will not fade
- Closed-cell Nitrile rubber cushion backing provides long-lasting comfort without breaking down
- Beveled edges and curved corners create a safer transition from mat to floor
- Designed for maximum worker comfort and striking appearance
- All Hog Heaven[™] mats are certified slip resistant by the National Floor Safety Institute
- Ideal uses include concierge desk, bellman stand, copier station, registration desk and shipping desk











HOG	HEAVEN® FASHION

5/8" Product No. 441 7/8" Product No. 442

SIZES

2' x 3'

3' x 5'

3' x 12'

to 60'.

See price

list for all

sizes.

additional

Sizes are

approximate.

Additional

lengths up

- Anti-static, slip-resistant 100% solution-dyed polypropylene top surface will not fade
- Solution-dyed fabric is molded to a solid Nitrile rubber surface for best durability
- Closed-cell Nitrile rubber cushion backing is molded to the Nitrile surface, providing a comfortable long-lasting mat
- Beveled border remains flexible for the life of the product and will not crack or curl
- All Hog Heaven[™] mats are certified slip resistant by the National Floor Safety Institute
- Ideal uses include concierge desk, bellman stand, copier station, registration desk and shipping desk





323 coal black





321 cocoa brown


320 granite

56



322 cobalt blue





1 coal black 4 dark green 2 cobalt blue 3 cocoa brown 5 granite



GetFit StandUp Mat Red Polypropylene Fabric To

GETFIT STANDUP[™] MAT

5/8" Polypropylene Fabric Top Product No. 4443 5/8" Rubber Top Product No. 4447 5/8" Polyester Designer Top Product No. 4448

- Designed for use at stand up desks and provide workers with a comfortable surface to stand on for hours
- Standing at work helps you burn more calories and can actually help you lose weight
- Nitrile blended cushion for maximum comfort while standing long hours
- Edge to edge foam
- Available with a polypropylene fabric top in 6 colors or a polyester designer top in 2 colors to match your office décor or a black rubber top for maximum durability
- Multiple sizes are available to fit the needs of your employees and their workspaces



6 red

Black Rubber Top

Tan Designer To

Grey Designer Top





HOG HEAVEN III[™] **MODULAR TILE COMFORT** and HOG HEAVEN III LINKABLE MATS COMFORT

18" x 18" x 3/4" Modular Tile	F
36" x 36" x 3/4" Modular Tile	
18" x 18" x 3/4" Modular Tile with grit	F
36" x 36" x 3/4" Modular Tile with grit	F
3/4" Linkable Mats black border	F
3/4" Linkable Mats yellow border	F
3/4" Linkable Mats black border with grit	ł
3/4" Linkable Mats yellow border with grit	

- Wedge Locking mechanism
- Outstanding anti-fatigue qualities for dry areas
- Solid 20% recycled Nitrile Rubber top surface has excellent chemical and oil resistance
- Closed cell Nitrile Rubber cushion provides long lasting comfort
- Welding safe
- Nitrile Rubber surface is molded to the cushion backing (not glued) so the surface will not delaminate
- Rubber surface remains flexible for the life of the product and will not curl or crack
- · Borders available in black or yellow striped
- Electrically conductive and certified slip resistant by the National Floor Safety Institute
- All grit products have an added aggressive silicon carbide antislip top surface
- Recommended for distribution, manufacturing and retail facilities for picking lines, assembly lines, work stations. check-out stations and more

HOG HEAVEN III[™] **WORKSTATION MATS** COMFORT

3/4"	Black border	Product No. 4493	
3/4"	Yellow border	Product No. 4494	
3/4"	Black border with grit	Product No. 4495	
3/4"	Yellow border with grit	Product No. 4496	



18" x 18" Middle-01 18" x 18" x 3/4" Side Black-02 18" x 21.875" x 3/4" Corner Black-03 21.875" x 21.875" x 3/4" Side Yellow-04 18" x 21.875" x 3/4" Corner Yellow-05 21.875" x 21.875" x 3/4" 36" x 36" Middle-01 36" x 36" x 3/4" Side Black-02 36" x 39.875" x 3/4"

MODULAR TILE

SIZES

Product No. 4471

Product No. 4472

Product No. 4473

Product No. 4474

Product No. 4497

roduct No. 4498

roduct No. 4499

roduct No. 4505

Corner Black-03 39.875" x 39.875" x 3/4" Side Yellow-04 36" x 39 875" x 3/4' Corner Yellow-05 39.875" x 39.875" x 3/4"

Color: Black with Black border or Yellow border NOTE: Hog Heaven III Modular Tile Comfort is designed for square or rectangle installations only.

LINKABLE MAT SIZES Mat End 39.875 x 43.75" x 3/4" Mat Middle 36" x 43.75" x 3/4" Color: Black with Black border or Yellow border

WORKSTATION MAT SIZE 43.75 x 43.75" x 3/4"

US Patent 8,919,054



Corner

vellow border



MODULAR TILE SIZES

18" x 18" Middle-01 18" x 18" x 3/4" Side-02 18" x 21.875" x 3/4" Corner-03 21.875" x 21.875" x 3/4"

36" x 36" Middle-01 36" x 36" x 3/4" Side-02 36" x 39.875" x 3/4" Corner-03 39.875" x 39.875" x 3/4"

LINKABLE MAT SIZES

Mat End 39.875 x 43.75" x 3/4" Mat Middle 36" x 43.75" x 3/4" US Patent 8.919.054



www.mamatting.com

♦♦♦♦♦♦

HOG HEAVEN III

MODULAR TILE

COMFORT

Corner Tile

black border

Middle Tile black border

Side Tile black border

HOG HEAVEN III

LINKABLE MATS

COMFORT

Linkable Mat End

vellow border

Linkable Mat Middle

yellow border

Linkable Mat End

vellow horder



58

HOG HEAVEN III™ LINKABLE MATS TRAFFIC

HOG HEAVEN III[™] LINKABLE

MATS TRAFFIC DRAINABLE

• Firm ergonomic tile for workstations that require cart traffic

• 15% recycled high density closed cell Nitrile Rubber

• Interlocks with Hog Heaven III Modular Tile Comfort to create a

3/4" Linkable Mats black border 3/4" Linkable Mats yellow border

3/4" Linkable Mats black border

3/4" Linkable Mats vellow border

complete ergonomic flooring system

• Borders available in black or yellow striped

Grease and oil proof, chemical resistant

• Wedge Locking mechanism

Product No. 4491 Product No. 4492

Product No. 4488

Product No. 4489




• Welding Safe


• Static Dissipative



HOG HEAVEN III[™] **MODULAR TILE FASHION &** LINKABLE MATS FASHION

36"x 36"x 3/4" Modular Tile	Product No. 4484 Product No. 4485 Product No. 4476
 Wedge Locking mechanism Anti-static, slip-resistant 100% solution-dyed polypropylene top surface will not fade Solution-dyed fabric is molded to a solid Nitrile rubber surface for best durability Closed-cell Nitrile rubber cushion backing keeps standing workers comfortable all day long Beveled border remains flexible for the life of the product and will not crack or curl All Hog Heaven mats are certified slip resistant by the National Floor Safety Institute Ideal uses include concierge desk, bellman stand, copier station, registration desk, pharmacies and labs 	MODULAR TILE SIZES 18" x 18" Middle-01 18" x 18" x 3/4" Side-02 18" x 21.875" x 3/4" Corner-03 21.875" x 21.875" x 3/4" 36" x 36" Middle-01 36" x 36" x 3/4" Side-02 36" x 39.875" x 3/4" Corner-03 39.875" x 39.875" x 3/4" NOTE: Hog Heaven III Modular Tile Fashion is designed for square or rectangle installations LINKABLE MAT SIZES Mat End 39.875" x 3/4"
HOG HEAVEN III [™]	Mat Middle 36" x 43.75" x 3/4"
WORKSTATION MATS FASHION	WORKSTATION MAT SIZE 43.75 x 43.75" x 3/4"
3/4" Product No. 4475	US Patent 8,919,054





TILE SIZES

Corner tile 21.875" x 21.875" x 3/4" 39.875" x 39.875" x 3/4" Side tile 18" x 21.875" x 3/4"

36" x 39.875" x 3/4" Middle tile 18" x 18" x 3/4" 36" x 36" x 3/4"

LINKABLE MAT SIZES

Mat End 39.875 x 43.75"x 3/4" Mat Middle 36" x 43.75" x 3/4"

WORKSTATION MAT SIZE 43.75" x 43.75" x 3/4"

US Patent 8,919,054







MODULAR TILE POLY

18"x 18"x 3/4" Modular Tile Product No. 4482 36"x 36"x 3/4" Modular Tile Product No. 4483

HOG HEAVEN III[™] LINKABLE MATS POLY

3/4" Linkable Mats Product No. 4481

HOG HEAVEN III[™] **WORKSTATION MATS POLY**

3/4" Product No. 4487

- Wedge Locking mechanism
- Black Woven PVC topping that is easy for sweeping and cleaning
- Fabric is molded to a solid Nitrile rubber surface for best durability
- Outstanding anti-fatigue qualities for dry areas
- Closed cell Nitrile rubber cushion provides long lasting comfort
- Versatile modular tile design allows for larger custom installations
- 3/4" thickness
- Perfect for use in retail facilities, check-out stations, work stations and more



	ANTI-FATIGUE/SLIP RESISTANT/DRY OR WET ENVIRO	ONMENTS/INDOOR
	HAPPY FEE	T®
	BLACK BORDER	
"	textured surface	Product No
"	grip surface	Product No
	Linkahle	

	BLACK BORDER	
1/2"	textured surface	Product No. 465
1/2"	grip surface	Product No. 475
	Linkable	
1/2"	textured surface: end	Product No. 467
1/2"	textured surface: middle	Product No. 469
1/2"	grip surface: end	Product No. 477
1/2"	grip surface: middle	Product No. 479

STRIPED BORDER

1/2"	textured surface	Product No. 466
1/2"	grip surface	Product No. 476
	Linkable	
1/2"	textured surface: end	Product No. 468
1/2"	textured surface: middle	Product No. 470
1/2"	grip surface: end	Product No. 478
1/2"	grip surface: middle	Product No. 480

 Constructed with a dense cushion encapsulated within oil/grease proof Nitrile rubber 	MAT SIZES 2' x 3' 3' x 5'
 Green friendly, Nitrile rubber has 20% recycled content 	Sizes are approximate.
Electrically conductive Safe for use	LINKABLE

SIZES

Linkable

Linkable

34" x 61.25"

Middle

End 34" x 59.875"

- Electrically conductive. Safe for use in computer rooms and electrical part manufacturing areas.
- Certified slip-resistant by the National Floor Safety Institute
- Can be Autoclave sterilized
- Specific applications include grates, heavy chemicals, heavy oils and welding areas
- Available in 2 surface types-Textured Surface: For dry/damp areas where traction is unnecessary. Grip Surface: For wet areas where maximum traction and/or scraping is needed.



02 caution vellow

MADE IN THE USA



black

COMPLETE COMFORT[™]

5/8" without holes Product No. 494 5/8" with holes Product No. 496

- Ergonomically superior anti-fatigue mat
- 100% closed-cell Nitrile rubber 2' x 3' construction with anti-microbial properties 3' x 4'
- Beveled edges for easier floor to mat transition
- Slip resistant surface is oil/grease proof and chemical resistant
- Lightweight and easy to clean
- Color: Black
- Recommended for wet and dry areas such as kitchens or industrial areas

list for all additional sizes. Sizes are approximate.

SIZES

3' x 5'

3' x 10'

4' x 6' 4' x 8'

3' and 4'

widths

available in lengths

up to 75' . See price

ANTI-FATIGUE/DRY OR WET







Complete Comfor without holes

20.0

COMPLETE COMFORT[™]II

5/8" Product No. 594

- High Density Closed Cell Nitrile Rubber Cushion has 15% recycled content
- Grease and oil proof, chemical resistant
- Welding safe and static dissipative
- Beveled edges for safe transition from mat to floor
- Lifetime anti-microbial treatment to prevent odors and degradation
- Can be Autoclave sterilized
- Certified slip resistant by the National Floor Safety Institute
- Recommended for use in wet or dry environments for healthcare, foodservice and industrial application

Sizes are approximate.

SIZES

2' x 3'

3' x 4'

3' x 5'

4' x 6'

Complete Comfort



www.mamatting.com

Complete Comfort II





COMFORT FLOW[™] & COMFORT SCRAPE[™]

Comfort Flow

3/8" 3/8"	Comfort Flow Comfort Scrape	Product No. Product No.	
 cushion has Grease and Welding Sat Beveled edg to floor Lifetime an odors and control Comfort Flo liquids to fl non-drainin Lightweight and cleanin Certified sli Safety Institution 	t and flexible for eas g p resistant by Natio	tent resistant itive on from mat ent to prevent nat es to allow t Scrape has sy handling nal Floor	SIZES 2' x 3' 3' x 5' 4' x 6' 3' x 9'
application		i illuustiiai	Sizes are approximate.
	FORT FL		-

3/8" Comfort Flow grit Product No. 4200 3/8" Comfort Scrape grit Product No. 4300

• Same features as above, but with an added aggressive silicon carbide anti-slip top surface

COMFORT FLOW[™] HD MODULAR TILE & LINKABLE MATS **COMFORT SCRAPE[™] HD MODULAR TILE & LINKABLE MATS**

3/4"	Comfort Flow HD Modular Tile	Product No. 4430
3/4"	Comfort Scrape HD Modular Tile	Product No. 4431
3/4"	Comfort Flow Modular Tile/grit	Product No. 4432
3/4"	ComfortScrapeModularTile/grit	ProductNo.4433
3/4"	Comfort Flow HD Linkable Mats	Product No. 4434
3/4"	Comfort Scrape HD Linkable Mats	Product No. 4435
3/4"	Comfort Flow Linkable Mats/grit	Product No. 4436
3/4"	ComfortScrapeLinkableMats/grit	ProductNo.4437

- High Density Closed Cell Nitrile Rubber Cushion has 15% recycled content
- Comfort Flow Modular Tiles can be custom fit in any work station configuration

- Floor Safety Institute
- degradation of the mat
- · Comfort Flow has drainage holes to allow liquids to flow through
- anti-slip top surface

COMFORT FLOW[™] HD WORKSTATION MATS







MODULAR TILE SIZES

Corner tile 19.125" x 19.125" x 3/4" 37.375" x 37.375" x 3/4" Side tile 18" x 19.125" x 3/4" 36" x 37.375" x 3/4" Middle tile 18" x 18" x 3/4" 36" x 36" x 3/4"

LINKABLE MAT SIZES

Mat End 37.125" x 39" x 3/4" Mat Middle 36" x 39" x 3/4"

WORKSTATION MAT SIZES

39" x 39" x 3/4"



ANTI-FATIGUE/SLIP RESISTANT/DRY OR WET ENVIRONMENTS/INDOOR-OUTDOOR









WET STEP®

1/4" Product No. 789

 Unique design provides excellent slip resistance and anti-fatigue properties Soft to walk on with bare feet Perfect for use in wet areas. Drain holes allow water to freely drain away. Anti-microbial treated for lifetime protection against odors and degradation Durable closed cell nitrile rubber cushion is UV resistant and will last for years Can be autoclave sterilized for health care use Recommended for use in locker rooms, showers. 	SIZES 2' x 3' 3' x 5' 3' x 10' 3' x 20' Additional lengths up to 20'. See price list for all additional sizes.
 Can be autoclave sterilized for health care use Recommended for use in locker rooms, showers, spas and around pools and hot tubs. Also recommended for use in operating rooms and medical scrub areas. 	Sizes are approximate.

grey

blue

CUSHION STATION	М
7/16" without holes Product No. 37 7/16" with holes Product No. 37	
 Highly durable closed-cell Nitrile rubber cushion combined with uniquely designed construction affords excellent anti-fatigue properties Grease and oil proof Static dissipative 	SIZES 2' x 3.2' 3.2' x 5.3' 3.2' x 8.3' 3.2' x 12.3' 3.2' x 16.1'
 Welding safe Designed for use in wet or dry areas. Available with and without holes Anti-microbial treated for lifetime protection against odors and degradation Available in standard sizes up to 20' long 	3.2 x 10.1' 3.2' x 20.1' 4' x 5.92' 4' x 8.3' 4' x 12.3' 4' x 16.1' 4' x 20.1'

- Flexible Nitrile cushion construction can be cleaned easily
- Can be Autoclave sterilized
- Cushion Station mats are ideal for use in machine shops, work stations or other heavy industrial applications, medical facility environments (i.e., operating rooms, delivery rooms, etc.) kitchens, showers, and locker rooms

Sizes are approximate.









www.mamatting.com







CUSHION MAX[™]

5/8" with holes Product No. 413 5/8" without holes Product No. 414

- Closed-cell Nitrile blended cushion
- Chemical Resistant, Grease & Oil Proof
- Diamond patterned top surface is certified slip resistant by National Floor Safety Institute
- Lasts 3 times longer than traditional 100% PVC foam mats
- Tapered border provides a safe transition from the mat to the floor

SIZES

2' x 3' 3' x 5' 3' x 12' 4' x 6' Additional lengths up to 45'. See price list for all additional sizes.

Sizes are approximate.

Cushion Max without holes

Cushion Ma with holes



TRACTION TREAD

1/8" Product No. 50

SIZES

33" x 40' Roll 44" x 40' Roll

58" x 40' Roll

See price list for all


additional

sizes.

Sizes are

approximate.


- Slip-resistant floor protection matting made from chemical-resistant Nitrile rubber
- 20% post-consumer recycled rubber content
- UV protected, grease/oil-proof, welding safe and electrically conductive
- Designed for various applications including laboratories, locker rooms, parts departments, and other commercial and industrial applications







SLIP RESISTANT/DRY OR WET



TRACTION TREAD SOFT

1/4" Product No. 56

SIZES

33" x 40' Roll

44" x 40' Roll

58" x 40' Roll

See price

list for all

additional

sizes.

Sizes are

approximate.

- Slip-resistant floor protection matting made from chemical-resistant, high density Nitrile rubber foam
- Contains 15% post-consumer recycled rubber content
- UV protected, grease/oil-proof, welding safe and static dissipative
- Anti-microbial treated
- Ideal for numerous production locations, walkways, gym floor protection, parts counters, lab areas and food service applications



SURE CUSHION RIBBED

3/8" Product No. 415

 Ribbed PVC foam* 	SIZES	
	SIZES 2' x 3' 3' x 5' 3' x 12'	2' x 60' 3' x 60' 4' X 60'
Additional lengths up to 60'. See price list f	ior all additi	onal sizes.

Sizes are approximate.

SURE CUSHION TEXTURE

3/8" Product No. 425

 Textured PVC foam* 	SIZES		
	SIZES 2' x 3' 3' x 5'	3' x 12' 3' x 60'	
Additional lengths up to 60' See price li			

Sizes are approximate.

SURE CUSHION HEAVY DUTY

1/2" Product No. 428 • PVC foam for heavy use SIZES areas* 2' x 3' 3' x 12' • 80 mil solid vinyl surface 3' x 5' 3' x 60' combined with a non-closed Additional lengths up cell vinyl cushion back to 60'. See price list for all additional sizes. Beveled on all sides Sizes are approximate. for safety **SURE CUSHION YELLOW BORDER** 3/8" Product No. 427

• PVC foam with yellow SIZES border on two sides* 2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

SURE TREAD V-GROOVE

1/8" Product No. 505

SIZES

3' x 105'

4' x 105'

Additional

lengths

available.

Sizes are

approximate.

- Solid vinyl
- Chemical resistant
- Provides protection for all types of floors from abuse due to chairs, tables and foot traffic
- Great for walkways, inclines and ramps
- Can be rolled for easy storage





ANTI-FATIGUE/DRY OR WET ENVIRONMENTS/INDOOR-OUTDOOR



KNEELING COMFORT[™]

7/8" Product No. 433

Closed-cell blended Nitrile rubber cushion	SIZES
with Nitrile rubber base	12" x 22" 18" x 30"
• Electrically conductive, grease/oil proof	18" x 30"

- Will not absorb liquids
- Reduces knee trauma and low back stress
- Built-in handle is convenient to carry & store
- Cleans easily with soap and water
- Ideal for occupations that require kneeling such as construction workers, technicians, mechanics, engineers, utility workers, manufacturers or anyone who moves from place to place to perform work tasks

Sizes are approximate.



SAFETY SCRAPE[™]

1/8" Product No. 545


- Molded grip-surface effectively scrapes tough dirt and grime off shoes and provides an excellent anti-slip surface
- Durable Rubber construction
- Earth-friendly; has 20% recycled rubber content
- UV Stable

T SL

- Available in cleated backing
- All Safety Scrape[™] mats are certified slip resistant by the National Floor Safety Institute

Safety Scrane

• Recommended for use in locker rooms, outside of entrances and grocery store produce areas





1/4" without holes Product No. 4 1/4" drainable (with holes) Product No. 4	
• Diamond Patterned Grit Top provides a slip resistant surface in wet and oily environments	SIZES 3' x 5'
 High Density Closed Cell Nitrile Rubber Cushion has 15% recycled content 	3' x 9'
• Grease and oil proof, chemical resistant	
• Welding Safe	
• Beveled edges for safe transition from mat to the floor	
• Lifetime anti-microbial treatment to prevent odors and degradation of the mat	
• Drainage holes allow liquids to flow off the mat	
• Backing designed to reduce the movement of the mat even with cart traffic	
 Flexible for easy handling 	
• Recommended for kitchens, coolers, freezers and industrial applications	Sizes are approxim







M+A Matting is Committed to Environmental Responsibility

M+A Matting **ENVIRONMENTAL POLICY**

M+A Matting believes that businesses are responsible for achieving good environmental practices and operating in a sustainable manner.

We are therefore committed to reducing our environmental impact and continually improving our environmental performance as an integral and fundamental part of our business strategy and operating methods.

Our Policy is to:

- Wholly support and comply with or exceed the requirements of current environmental legislation
- Minimize our waste and then reuse or recycle as much of it as possible

W///

- Minimize energy and water usage in our buildings and processes in order to conserve supplies, and minimize our consumption of natural resources, especially where they are non-renewable
- Apply the principles of continuous improvement in respect of air, water, noise and light pollution from our premises and reduce any impacts from our operations on the environment and local community
- As much as possible, purchase products and services that do the least damage to the environment and encourage others to do the same

- Assess the environmental impact of any new processes or products we intend to introduce in advance
- Ensure that all employees understand our Environmental Policy and conform to the high standards it requires
- Address complaints about any breach of our Environmental Policy promptly and to the satisfaction of all concerned
- Update our Environmental Policy annually in consultation with staff, associates and customers

LAST YEAR WE RECYCLED...

• 90% of our waste steam

A SEC A

- 1,686,030 lbs of recycled rubber into our products, keeping over 57,000 car tires out of our landfills
- Over 18 million (949,028 lbs) 20 oz recycled drink bottles (PET Polyester) in the manufacturing of our Waterhog Eco products. If you placed these bottles end to end they would reach from Atlanta to San Francisco.
- Over 32,000 mats (220,847 lbs). If placed in one stack of 3' x 5' mats, the stack would be taller than an 80 story building.



We have over 50 products with recycled content.

ENVIRO PLUS has over 85% total recycled content!



MAT RECYCLING PROGRAM

M+A Matting is pleased to offer our customers the capabilities of recycling all obsolete or worn out rubber backed mats. We certify that none of the mats returned are placed in a landfill. The obsolete or worn out mats will be ground up to be used either in manufacturing other mats or used for boiler fuel.

For more information, call us at 1-800-241-4696 or e-mail customerservice5@mamatting.com



SPECIFICATIONS PRODUCT NAME	POST CONSUMER Recycled content	POST INDUSTRIAL Recycled content	TOTAL RECYCLED CONTENT	MAT TYPE
Safety Scrape/SuperScrape Signature/SuperScrape Sign	20.0%	0.0%	20.0%	Scraper
SuperScrape	20.0%	0.0%	20.0%	Scraper
SuperScrape Impressions	18.5%	0.0%	18.5%	Scraper
Brush Hog / Brush Hog Plus	13.2%	0.0%	13.2%	Scraper
Waterhog Eco Elite /Waterhog Eco Elite Fashion	38.6/43.3%	0.0%	38.6/43.3%	Scraper/Wiper
Waterhog Eco Elite Roll Goods	43.3%	0.0%	43.3%	Scraper/Wiper
Waterhog Eco Premier/ Waterhog Eco Premier Fashion	38.6/43.3%	0.0%	38.6/43.3%	Scraper/Wiper
Legacy Eco/Legacy Eco Fashion	38.6/43.3%	0.0%	38.6/43.3%	Scraper/Wiper
Waterhog Eco Grand Elite/Eco Grand Premier	43.3%	0.0%	43.3%	Scraper/Wiper
Waterhog Eco Elite Roll Goods Logo	32.8%	0.0%	32.8%	Scraper/Wiper
Waterhog Eco Prem Tile 1/4"	19.8%	0.0%	19.8%	Scraper/Wiper
Waterhog Grand Classic	14.6%	4.1%	18.7%	Scraper/Wiper
Waterhog Fashion/Waterhog Fashion Diamond	14.6%	4.1%	18.7%	Scraper/Wiper
Legacy Fashion	14.6%	4.1%	18.7%	Scraper/Wiper
Waterhog Classic/Waterhog Classic Diamond	13.4%	3.5%	16.9%	Scraper/Wiper
Legacy Classic	13.4%	3.5%	16.9%	Scraper/Wiper
Waterhog Sign/Waterhog Signature	13.4%	3.5%	16.9%	Scraper/Wiper
Waterhog Inlay Fashion/Legacy Inlay Fahion	13.1%	3.7%	16.8%	Scraper/Wiper
Waterhog Inlay/Legacy Inlay	12.2%	3.1%	15.3%	Scraper/Wiper
Waterhog Diamond Cord	11.7%	0.0%	11.7%	Scraper/Wiper
Waterhog Masterpiece	11.7%	0.0%	11.7%	Scraper/Wiper
Waterhog Eco Prem Tile 7/16"	11.2%	0.0%	11.2%	Scraper/Wiper
	0.0%	3.6%	3.6%	
Waterhog Tile 1/4"				Scraper/Wiper
Waterhog Tile 7/16"	0.0%	1.5%	1.5%	Scraper/Wiper
Waterhog Modular Tile Square	0.0%	1.5%	1.5%	Scraper/Wiper
Enviro Plus	76.0%	13.0%	89.0%	Wiper
Trigrip	20.7%	0.0%	20.7%	Wiper
Clean Stride Frames	17.7%	0.0%	17.7%	Wiper
Colorstar Plush	10.9%	0.0%	10.9%	Wiper
Colorstar Crunch	5.9%	0.0%	5.9%	Wiper
Colorstar	5.7%	0.0%	5.7%	Wiper
Classic Impressions	15.3%	0.0%	15.3 %	Wiper/Logo
Classic Impressions HD	14.8%	0.0%	14.8 %	Wiper/Logo
Hog Heaven Confetti 5/8"	54.5%	0.0%	54.5%	AntiFatigue
Hog Heaven Confetti 7/8"	51.9%	0.0%	51.9%	AntiFatigue
Hog Heaven Fashion 5/8"	17.5%	0.0%	17.5%	AntiFatigue
Hog Heaven Plush 5/8"	17.3%	0.0%	17.3%	AntiFatigue
Hog Heaven 5/8"/Hog Heaven Sign	16.5%	0.0%	16.5%	AntiFatigue
Hog Heaven Fashion 7/8"	16.2%	0.0%	16.2%	AntiFatigue
GetFit StandUp Mat	16.2%	0.0%	16.2%	AntiFatigue
Hog Heaven Plush 7/8"	16.0%	0.0%	16.0%	AntiFatigue
Hog Heaven III Modular Tile Fashion	15.6%	0.0%	15.6%	AntiFatigue
Hog Heaven 7/8"	14.8%	0.0%	14.8%	AntiFatigue
Kneeling Comfort	14.5%	0.0%	14.5%	AntiFatigue
Cushion Station	14.4%	0.0%	14.4%	AntiFatigue
Complete Comfort II	14.0%	0.0%	14.0%	AntiFatigue
Hog Heaven III Modular Tile Traffic	14.0%	0.0%	14.0%	AntiFatigue
Hog Heaven III Modular Tile Comfort/Grit	11.8%	0.0%	11.8%	AntiFatigue
Happy Feet/Linkable	9.8%	0.0%	9.8%	AntiFatigue
Hog Heaven Marble 5/8"	6.1%	0.0%	6.1%	AntiFatigue
Hog Heaven Marble 7/8"	5.9%	0.0%	5.9%	AntiFatigue
Comfort Flow/Scrape/Grit	15.0%	0.0%	15.0%	AntiFatigue/Slip Resista
Comfort Flow HD Modular Tile/Scrape/Grit	12.8%	0.0%	15.0%	AntiFatigue/Slip Resista
Traction Tread	20.0%	0.0%	20.0%	Slip Resistant
Traction Hog II	15.0%	0.0%	15.0%	Slip Resistant



Disease I

and a strength

STATE.

ST HAVE

Re- Distant

2.191313

Man Zean

a for shirts

1. 10 10

Mark ale

and they

gre In an

Ale and a second

19 MAR 19

En guild

an the same

State State

Turde

addar (1994)

Har Capit

36 31

Sec. 1

a gan a co

RU WAR

191.77

gh Stein Segits an

ika a C

CON 2

All an and senten an

in the state

通知的问题 化 总和约 和

1. 41 gal

and the ope

新利期日

11 6 663

- State - grass

Se Se

a WHELENSO

ACRES !

the state of

5.6 元 何的

ti juli tankent

1. 19 / 18

和中国政治官

中的目的。在

Andies the

and the second

Sector 200 - 10

Alexandre

Sun life fing

A STATISTICS

是代表的

118 26

A STATE

any we wele

125

With the

C The set

Reg & plant

CHER PROPERTY

an h

THE FOR

他们主动。于

The state

THE LA

S 41

the Part

Mar Strange

12月1日日

Wety schlige

Car States

C. Sand

Read and the

41.

Contraction of the

100.000

and the set

all the second

管于代码。

的新叶和日本

的安全和

fillstan?

125

國物质

的時代的

the man

No. POR

网络印度

Cartan H

Superior .

All in the other

a William M

agare i P

物识计

ALC: N

出行法历史

·非称爱 Pa

WI me and

and the state

State of

decision and the

新和的时

TOTA STATE

建在42

CHI THE

的一点,并后至。新型·公告】和

www.mamatting.com

M+A MATTING • 340 CROSS PLAINS BLVD • DALTON, GA 30721 Toll Free 800.241.4696 • 706.277.2551 • Fax 706.277.3170 1.8978

259 A. Ke

an 1 1

at desaid

watale sales

1.6 46

利用水平

in and the

94 G - 📆

a start

and a fight

T.F.

an de la

COMPANY

Ar the

制成的

A CONTRACTOR

派下介:

W. Lak

NAP IN THE

183

11

A. 36

a hora bear

Sec 62

80 4

1.16.2.2

1

ST. NE

管理的

这些实动"

1. Mar.

1983年1月1

有行过来

10 50 40

194

1. A. 1. 12-1

Prime.

and an

是自己的时候

a company

elfer and

经建制44%

Select of a

0

Store M

潮汐

Spirk;

Jack Star

Tes to be an

and the first

1.1.1.1

12.65

TO A MERSIN

alle trees

A KAR

S. RIELLY

in the last

Ref. J.

x. 7 1

- Minister

a fair

和极大 200月1

国家 医门腔桥

ent fil

No Tran

C SAN

2 Partie

C. a.

多大的 法问题 7 多点

GIL THE P

Serve a

all and and

St.

的人的

Sale ar

9 SH

Aller of

Sec. Sec. 1

The second

the state of

107Kpp

物成小

Red Park

and the

的影響

the for the

Constitution

合王

Auge of

Service of

家成计

676

ALC: NO

m interior

BYCH AN

a Hora

Shine Ma

12.88

75g

ET.

Server al

a start

B Merice

图的在前面的

Destan