

SAFETY DATA SHEET

CSI MULTICHLOR

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

DATE: 6/10/2014 / Supersedes Revision: n/a

Manufacturer:

PDQ Manufacturing, Inc.
201 Victory Circle
Ellijay, GA USA 30540
Phone: (706) 636-1848
Website: www.pdqonline.com

Distributor:

CLEAN SOLUTIONS, INC.
232 CR 702
JONESBORO, AR 72401
870/935-5003

EMERGENCY CONTACT: Chemtrec, Reference CCN798262
Phone: (800) 424-9300 (collect calls accepted) / International: (703) 527-3887

Product Name: CSI MULTICHLOR

ID Code: 4318

Product Category: Liquid Bleach

SECTION 2: HAZARD(S) IDENTIFICATION

Skin Corrosion/Irritation, Category 1B

Aquatic Toxicity (Acute), Category 1

Skin Corrosion/Irritation, Category 1A

GHS Signal Word: DANGER

GHS Hazard Phrases:

H314 - Causes severe skin burns and eye damage.

H400 - Very toxic to aquatic life.

GHS Precaution Phrases:

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P273 - Avoid release to the environment.

GHS Response Phrases:

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 - Wash contaminated clothing before reuse.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician.

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P310 - Immediately call a Poison Control Center or doctor.

P391 - Corrosive to skin - repeated or prolonged exposure may result in dermatitis or skin sensitization.

GHS Storage and Disposal Phrases:

P405 - Store locked up.

P501 - Unused product is not a RCRA Hazardous waste. However, contaminated product and wastes may be RCRA hazardous. Users are advised to determine the appropriate disposal method based on local, state and federal regulations and comply with those regulations.

Hazard Rating System:

HMIS

Health: 3

Flammability: 0

Physical: 2

PPE:

NFPA

Health: 3

Flammability: 0

Instability: 1

Special Hazard: OX



Potential Health Effects (Acute and Chronic): Chronic: None. Prolonged or repeated skin contact may cause dermatitis. Effects may be delayed.

Inhalation: May cause severe irritation of the respiratory tract with sore throat, coughing, shortness of breath and delayed lung edema. Irritation may lead to chemical pneumonitis and pulmonary edema. Causes severe irritation of upper respiratory tract with coughing, burns, breathing difficulty, and possible coma. Causes chemical burns to the respiratory tract.

Skin Contact: Causes skin irritation. Causes skin burns. May cause deep, penetrating ulcers of the skin. May cause skin rash (in milder cases), and cold and clammy skin with cyanosis or pale color.

Eye Contact: Causes eye irritation. Causes eye burns. May cause chemical conjunctivitis and corneal damage.

SAFETY DATA SHEET

CSI MULTICHLOR

Ingestion: Causes gastrointestinal irritation with nausea, vomiting and diarrhea. May cause severe and permanent damage to the digestive tract. Causes gastrointestinal tract burns. May cause perforation of the digestive tract. Causes severe pain, nausea, vomiting, diarrhea, and shock. May cause corrosion and permanent tissue destruction of the esophagus and digestive tract. May cause systemic effects.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}	~12.5 %
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	< 5.0 %

SECTION 4: FIRST-AID MEASURES

Emergency and First Aid Procedures: Have the product container or label with you when calling a poison control center or doctor or going for medical treatment.

If inhaled: Move exposed person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on skin or on clothing: Take off all contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eyes open and rinse slowly and gently with plenty of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by poison control center or a doctor. Do not give anything by mouth to an unconscious person.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5: FIRE-FIGHTING MEASURES

Flash Point:

Explosive Limits:

Autoignition Pt:

Suitable Extinguishing Media: Not available. Substance is noncombustible; use agent most appropriate to extinguish surrounding fire.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Substance is noncombustible. Oxidizer. Greatly increases the burning rate of combustible materials. Use water spray to keep fire-exposed containers cool. Use water with caution and in flooding amounts. Contact with moisture or water may generate sufficient heat to ignite nearby combustible materials. Contact with metals may evolve flammable hydrogen gas.

Flammable Properties and Hazards:

SECTION 6: ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up spills immediately, observing precautions in the Protective Equipment section. Provide ventilation. Vacuum or sweep up material and place into a suitable disposal container. Avoid runoff into storm sewers and ditches which lead to waterways. Avoid generating dusty conditions. Do not get water on spilled substances or inside containers.

SECTION 7: HANDLING AND STORAGE

Precautions To Be Taken in Handling: Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated. Strong oxidizing agent. Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

Precautions To Be Taken in Storing: Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. Do not contaminate food or feed by storage. Containers must be tightly closed to prevent the conversion of NaOH to sodium carbonate by the CO₂ in air.

SAFETY DATA SHEET

CSI MULTICHLOR

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}			
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	PEL: 2 mg/m3	CEIL: 2 mg/m3	

Respiratory Equipment (Specify Type): Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Wear chemical splash goggles.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.): There are no special ventilation requirements. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [X] Liquid [] Solid	Specific Gravity (Water = 1): ~ 1.200
Appearance and Odor: Slightly cloudy liquid with mild odor. Pungent chlorine odor.	Vapor Pressure (vs. Air or mm Hg): ~ 12 MM_HG
Freezing Point: -17.00 F	Vapor Density (vs. Air = 1):
Boiling Point:	Evaporation Rate:
Autoignition Pt:	Solubility in Water: miscible
Flash Pt:	Viscosity: thin
Explosive Limits: LEL: UEL:	pH: 12-14
	Percent Volatile:

SECTION 10: STABILITY AND REACTIVITY

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability: Light, Excess heat, Ultraviolet light.

Incompatibility – Materials To Avoid: Oxidizing agents, Sulfur oxides. Metals. Acids, Aluminum, Zinc, organic halogens. organic matter.

Hazardous Decomposition Or Byproducts: Hydrogen chloride, chlorine.

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Conditions To Avoid -Hazardous Reactions:

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological Information: Epidemiology: No data available. Teratogenicity: No data available. Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies: No information found. Teratogenicity: No information available. See actual entry in RTECS for complete information.

CAS# 7681-52-9: Acute demal toxicity: LD50 rabbit Dose > 2,000 mg/kg

Skin irritation: Rabbit - Non irritant

Eye irritation: Rabbit - minimal irritant, LD50, Oral, Mouse, 5800. MG/KG.

Result: Behavioral: Change in motor activity (specific assay). Gastrointestinal:Other changes. - Shokuhin Eiseigaku Zasshi. Food Hygiene Journal., Nippon Shokuhin Eisei Gakkai, c/o Shokuhin Eisei Senta, 2-6-1 Jingumae, Shibuya-ku, Tokyo 150 Japan, Vol/p/yr: 27,553, 1986.

Carcinogenicity/Other Information: CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 7681-52-9: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 1310-73-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}	n.a.	n.a.	n.a.	n.a.
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	n.a.	n.a.	n.a.	n.a.

SAFETY DATA SHEET

CSI MULTICHLOR

SECTION 12: ECOLOGICAL INFORMATION

General Ecological Information: Environmental: No information found. Physical: No information found.
Other: No information available.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.
RCRA P-Series: None listed.
RCRA U-Series: None listed.

SECTION 14: TRANSPORTATION INFORMATION (DOT/UN CLASSIFICATION)

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Hypochlorite solutions [with more than 5 percent but less than 16 percent available chlorine]

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN1791

Packing Group: III



SECTION 15: REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}	No	Yes 100 LB	No
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	No	Yes 1000 LB	No

Other US EPA or State Lists

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
7681-52-9	Sodium hypochlorite {Hypochlorous acid, sodium salt}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

SECTION 16: OTHER INFORMATION

Revision Date: 06/10/2014

Preparer Name: Regulatory Affairs

Additional Information About This Product:

Company Policy or Disclaimer: The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.